vila

Invisible Comfort. Visible Health.

Continuous glucose monitoring,
designed around veterinary care.





FME

(Fiber Micro Electrode)
Platinum Sensing
Technology

Vila Vet CGM

Veterinary Continuous
Glucose Monitoring System



Gentler Monitoring for Everyday Life.

Peace of mind for those who care most. Because they can't tell you how they feel — VILA Vet does.



FOR PET OWNERS

Care that fits everyday life.

Comfortable Monitoring, Right at Home

Gentler monitoring without repeated ear pricks or stressful clinic curves.

Real-Time Glucose, Continuous Trends

See current glucose and understand how values change throughout the day.


Smart Alerts Catch Changes Early

High and low alerts help owners notice important changes sooner.

One App, Shared with Your Vet

Log daily events, review summaries and share reports for veterinary follow-up.

Pet Owner Journey



CONSULT & APPLY ▶ CONNECT ▶ RECORD & TRACK ▶ SHARE

FOR VETERINARY TEAMS

Continuous context for more informed follow-up.

Technology Built for Veterinary Use

FME sensing designed for comfortable, longer-term glucose monitoring.

Continuous Data for Confident Decisions

Review trends, Time in Range and clear glucose summaries.


More Efficient, Less Invasive Monitoring

Reduce repeat blood draws and bring home-context data into follow-up.

One Dashboard, Connected to Every Owner

Connect patient trends, owner records and veterinary follow-up in one view.

Veterinary Journey



CONSULT ▶ APPLY & CONNECT ▶ MONITOR & REVIEW ▶ ADJUST & SHARE



vila



FME Sensing Technology

Ultra-thin 130-micrometer sensor probe

Fiber Micro Electrode for interstitial glucose monitoring

"Soft as Fiber, Sharp on Data."

Vila Vet CGM

Species	Dogs and Cats
Monitored Marker	Glucose
Core Technology	FME (Fiber Micro Electrode)
System Components	Sensor / Applicator / Mobile App



Technology	Patented FME (Fiber Micro Electrode) Technology
Probe Diameter	130 µm
Application	Dogs & Cats
Measurement	Interstitial Glucose, 40-650 mg/dL
Wear Duration	Up to 15 Days
Calibration	Factory Calibrated
Warm-up	<60 minutes
Water Resistance	IP28
Connectivity	Bluetooth Low Energy (BLE) 5.1
Size	30 mm diameter / 5 mm height / 4.6 g

vila

Distribution & Partnership Inquiries

Tyson Bioresearch, Inc.
5F, No. 16, 18, 20, 22, Kedong 3rd Rd., Zhunan Township, Miaoli County 35053, Taiwan
Tel: +886-37-585998 | service@vilacgm.com
www.vilacgm.com